





Heating capacity at rated condition: 12.1 kW (4 HP)

Total rated capacity of indoor unit	Outdoor temperature		Indoor temperature													
			16°CDB		18°CDB		20°CDB		21°CDB		22°CDB		24°CDB		26°CDB	
	°CDB	°CWB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
6.1 (50%)	-20.0	-20.7	6.9	2.29	6.5	2.16	6.1	2.03	5.8	1.96	5.6	1.90	5.2	1.77	4.8	1.64
	-15.0	-16.0	6.9	2.10	6.5	1.98	6.1	1.86	5.8	1.80	5.6	1.74	5.2	1.62	4.8	1.50
	-12.0	-13.0	6.9	1.97	6.5	1.86	6.1	1.75	5.8	1.69	5.6	1.63	5.2	1.52	4.8	1.41
	-9.0	-10.0	6.9	1.85	6.5	1.75	6.1	1.64	5.8	1.59	5.6	1.53	5.2	1.43	4.8	1.32
	-7.0	-8.0	6.9	1.77	6.5	1.67	6.1	1.57	5.8	1.52	5.6	1.47	5.2	1.37	4.8	1.27
	-5.0	-6.0	6.9	1.70	6.5	1.60	6.1	1.50	5.8	1.46	5.6	1.41	5.2	1.31	4.8	1.22
	-3.0	-4.0	6.9	1.63	6.5	1.53	6.1	1.44	5.8	1.39	5.6	1.35	5.2	1.26	4.8	1.17
	-1.0	-2.0	6.9	1.56	6.5	1.47	6.1	1.38	5.8	1.33	5.6	1.29	5.2	1.20	4.8	1.12
	0.0	-1.0	6.9	1.52	6.5	1.44	6.1	1.35	5.8	1.31	5.6	1.26	5.2	1.18	4.8	1.09
	2.0	1.0	6.9	1.46	6.5	1.37	6.1	1.29	5.8	1.25	5.6	1.21	5.2	1.13	4.8	1.05
	5.0	4.0	6.9	1.37	6.5	1.29	6.1	1.21	5.8	1.17	5.6	1.14	5.2	1.06	4.8	0.99
	7.0	6.0	6.9	1.31	6.5	1.24	6.1	1.16	5.8	1.13	5.6	1.09	5.2	1.02	4.8	0.95
	9.0	7.8	6.9	1.26	6.5	1.19	6.1	1.12	5.8	1.08	5.6	1.05	5.2	0.98	4.8	0.91
12.0	10.6	6.9	1.19	6.5	1.12	6.1	1.06	5.8	1.02	5.6	0.99	5.2	0.93	4.8	0.86	
15.0	13.5	6.9	1.12	6.5	1.06	6.1	1.00	5.8	0.97	5.6	0.94	5.2	0.88	4.8	0.82	

MODEL SELECTION

MODEL SELECTION