

Model: AJ*054LBLBH (1 phase)

Cooling capacity at rated condition: 15.5 kW (6 HP)

Total rated capacity of indoor unit	Outdoor temperature	Indoor temperature															
		20°CDB/15°CWB		23°CDB/16°CWB		24°CDB/17°CWB		26°CDB/18°CWB		27°CDB/19°CWB		28°CDB/20°CWB		30°CDB/22°CWB		32°CDB/23°CWB	
		°CDB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC
23.2 (150%)	-5	15.3	2.49	17.3	2.79	19.3	3.09	21.3	3.39	22.1	3.48	22.6	3.50	23.5	3.55	24.0	3.57
	0	15.3	2.49	17.3	2.79	19.3	3.09	21.3	3.39	22.1	3.48	22.6	3.50	23.5	3.55	24.0	3.57
	5	15.3	2.49	17.3	2.79	19.3	3.09	21.3	3.39	22.1	3.48	22.6	3.50	23.5	3.55	24.0	3.57
	10	15.3	2.49	17.3	2.79	19.3	3.09	21.3	3.39	22.1	3.48	22.6	3.50	23.5	3.55	24.0	3.57
	15	15.3	2.49	17.3	2.79	19.3	3.09	21.3	3.49	21.9	3.60	22.3	3.65	23.2	3.74	23.6	3.79
	21	15.3	2.82	17.3	3.32	19.3	3.86	20.7	4.24	21.1	4.29	21.5	4.34	22.4	4.44	22.8	4.49
	23	15.3	3.05	17.3	3.59	19.3	4.17	20.4	4.48	20.8	4.53	21.3	4.58	22.1	4.68	22.6	4.73
	25	15.3	3.29	17.3	3.87	19.3	4.50	20.1	4.73	20.6	4.78	21.0	4.83	21.9	4.93	22.3	4.98
	27	15.3	3.55	17.3	4.17	19.3	4.85	19.9	4.98	20.3	5.03	20.7	5.08	21.6	5.18	22.0	5.23
	30	15.3	3.96	17.3	4.66	19.1	5.32	19.5	5.37	19.9	5.42	20.3	5.47	21.2	5.57	21.6	5.62
	33	15.3	4.41	17.3	5.19	18.7	5.73	19.1	5.78	19.5	5.83	19.9	5.87	20.8	5.98	21.2	6.02
	35	15.3	4.73	17.3	5.57	18.4	6.01	18.8	6.02	19.2	6.02	19.7	6.02	20.5	6.02	21.0	6.02
	37	15.3	5.07	17.3	6.01	17.9	6.02	18.3	6.02	18.7	6.02	19.1	6.02	20.0	6.02	20.4	6.02
	40	15.3	5.17	16.2	5.17	16.5	5.17	16.9	5.17	17.3	5.17	17.7	5.17	18.5	5.17	18.9	5.17
	43	14.2	5.17	14.5	5.17	14.8	5.17	15.2	5.17	15.6	5.17	15.9	5.17	16.7	5.17	17.0	5.17
	46	12.6	4.92	12.9	4.92	13.3	4.92	13.6	4.92	13.9	4.92	14.3	4.92	14.9	4.92	15.3	4.92
21.7 (140%)	-5	14.3	2.33	16.1	2.61	18.0	2.90	19.8	3.18	21.7	3.46	22.2	3.49	23.1	3.53	23.6	3.55
	0	14.3	2.33	16.1	2.61	18.0	2.90	19.8	3.18	21.7	3.46	22.2	3.49	23.1	3.53	23.6	3.55
	5	14.3	2.33	16.1	2.61	18.0	2.90	19.8	3.18	21.7	3.46	22.2	3.49	23.1	3.53	23.6	3.55
	10	14.3	2.33	16.1	2.61	18.0	2.90	19.8	3.18	21.7	3.46	22.2	3.49	23.1	3.53	23.6	3.55
	15	14.3	2.33	16.1	2.61	18.0	2.90	19.8	3.18	21.6	3.56	22.0	3.61	22.8	3.70	23.3	3.75
	21	14.3	2.58	16.1	3.02	18.0	3.51	19.8	4.03	20.8	4.26	21.2	4.30	22.1	4.40	22.5	4.45
	23	14.3	2.79	16.1	3.27	18.0	3.79	19.8	4.35	20.5	4.50	20.9	4.55	21.8	4.64	22.2	4.69
	25	14.3	3.01	16.1	3.53	18.0	4.09	19.8	4.69	20.3	4.74	20.7	4.79	21.5	4.89	22.0	4.94
	27	14.3	3.25	16.1	3.80	18.0	4.41	19.6	4.95	20.0	5.00	20.4	5.05	21.3	5.14	21.7	5.19
	30	14.3	3.62	16.1	4.25	18.0	4.92	19.2	5.34	19.6	5.39	20.0	5.44	20.9	5.53	21.3	5.58
	33	14.3	4.03	16.1	4.73	18.0	5.48	18.8	5.74	19.2	5.79	19.6	5.84	20.5	5.94	20.9	5.99
	35	14.3	4.33	16.1	5.08	18.0	5.89	18.5	6.02	19.0	6.02	19.4	6.02	20.2	6.02	20.6	6.02
	37	14.3	4.64	16.1	5.46	17.6	6.02	18.0	6.02	18.4	6.02	18.8	6.02	19.7	6.02	20.1	6.02
	40	14.3	5.17	16.0	5.17	16.4	5.17	16.7	5.17	17.1	5.17	17.5	5.17	18.3	5.17	18.7	5.17
	43	14.1	5.17	14.4	5.17	14.7	5.17	15.1	5.17	15.5	5.17	15.8	5.17	16.5	5.17	16.9	5.17
	46	12.6	4.92	12.9	4.92	13.2	4.92	13.6	4.92	13.9	4.92	14.2	4.92	14.9	4.92	15.2	4.92
20.1 (130%)	-5	13.3	2.18	15.0	2.44	16.7	2.70	18.4	2.96	20.1	3.22	21.8	3.47	22.7	3.51	23.2	3.53
	0	13.3	2.18	15.0	2.44	16.7	2.70	18.4	2.96	20.1	3.22	21.8	3.47	22.7	3.51	23.2	3.53
	5	13.3	2.18	15.0	2.44	16.7	2.70	18.4	2.96	20.1	3.22	21.8	3.47	22.7	3.51	23.2	3.53
	10	13.3	2.18	15.0	2.44	16.7	2.70	18.4	2.96	20.1	3.22	21.8	3.47	22.7	3.51	23.2	3.53
	15	13.3	2.18	15.0	2.44	16.7	2.70	18.4	2.96	20.1	3.23	21.6	3.57	22.4	3.66	22.9	3.71
	21	13.3	2.35	15.0	2.74	16.7	3.17	18.4	3.63	20.1	4.12	20.8	4.26	21.7	4.36	22.1	4.40
	23	13.3	2.54	15.0	2.97	16.7	3.43	18.4	3.92	20.1	4.45	20.6	4.50	21.4	4.60	21.8	4.65
	25	13.3	2.74	15.0	3.20	16.7	3.70	18.4	4.23	19.9	4.70	20.3	4.75	21.2	4.85	21.6	4.89
	27	13.3	2.96	15.0	3.45	16.7	3.98	18.4	4.56	19.7	4.96	20.1	5.01	20.9	5.10	21.3	5.15
	30	13.3	3.30	15.0	3.85	16.7	4.45	18.4	5.09	19.3	5.35	19.7	5.40	20.5	5.49	20.9	5.54
	33	13.3	3.67	15.0	4.29	16.7	4.95	18.4	5.67	18.9	5.75	19.3	5.80	20.1	5.90	20.5	5.94
	35	13.3	3.94	15.0	4.60	16.7	5.32	18.2	5.99	18.6	6.02	19.0	6.02	19.9	6.02	20.3	6.02
	37	13.3	4.22	15.0	4.94	16.7	5.72	17.7	6.02	18.1	6.02	18.5	6.02	19.3	6.02	19.7	6.02
	40	13.3	4.70	15.0	5.17	16.1	5.17	16.5	5.17	16.9	5.17	17.3	5.17	18.0	5.17	18.4	5.17
	43	13.3	5.17	14.3	5.17	14.6	5.17	15.0	5.17	15.3	5.17	15.7	5.17	16.4	5.17	16.7	5.17
	46	12.5	4.92	12.9	4.92	13.2	4.92	13.5	4.92	13.8	4.92	14.1	4.92	14.8	4.92	15.1	4.92
18.6 (120%)	-5	12.2	2.02	13.8	2.26	15.4	2.50	17.0	2.75	18.6	2.99	20.2	3.23	22.2	3.49	22.6	3.51
	0	12.2	2.02	13.8	2.26	15.4	2.50	17.0	2.75	18.6	2.99	20.2	3.23	22.2	3.49	22.6	3.51
	5	12.2	2.02	13.8	2.26	15.4	2.50	17.0	2.75	18.6	2.99	20.2	3.23	22.2	3.49	22.6	3.51
	10	12.2	2.02	13.8	2.26	15.4	2.50	17.0	2.75	18.6	2.99	20.2	3.23	22.2	3.49	22.6	3.51
	15	12.2	2.02	13.8	2.26	15.4	2.50	17.0	2.75	18.6	2.99	20.2	3.24	22.0	3.61	22.4	3.66
	21	12.2	2.18	13.8	2.48	15.4	2.85	17.0	3.25	18.6	3.67	20.2	4.13	21.2	4.31	21.7	4.35
	23	12.2	2.30	13.8	2.68	15.4	3.08	17.0	3.51	18.6	3.97	20.2	4.46	21.0	4.55	21.4	4.60
	25	12.2	2.49	13.8	2.89	15.4	3.33	17.0	3.79	18.6	4.28	19.9	4.71	20.7	4.80	21.1	4.85
	27	12.2	2.68	13.8	3.12	15.4	3.58	17.0	4.08	18.6	4.62	19.7	4.96	20.5	5.05	20.9	5.10
	30	12.2	2.99	13.8	3.48	15.4	4.00	17.0	4.56	18.6	5.15	19.3	5.35	20.1	5.45	20.5	5.49
	33	12.2	3.33	13.8	3.87	15.4	4.46	17.0	5.08	18.5	5.71	18.9	5.76	19.7	5.85	20.1	5.90
	35	12.2	3.57	13.8	4.16	15.4	4.78	17.0	5.45	18.3	6.00	18.7	6.02	19.5	6.02	19.9	6.02
	37	12.2	3.83	13.8	4.45	15.4	5.13	17.0	5.87	17.8	6.02	18.2	6.02	19.0	6.02	19.4	6.02
	40	12.2	4.24	13.8	4.96	15.4	5.17	16.3	5.17	16.6	5.17	17.0	5.17	17.7	5.17	18.1	5.17
	43	12.2	4.73	13.8	5.17	14.5	5.17	14.8	5.17	15.1	5.17	15.5	5.17	16.2	5.17	16.6	5.17
	46	12.2	4.92	12.8	4.92	13.1	4.92	13.4	4.92	13.7	4.92	14.0	4.92	14.7	4.92	15.0	4.92
17.0 (110%)	-5	11.2	1.87	12.7	2.09	14.1	2.31	15.6	2.53	17.0	2.75	18.5	2.97	21.4	3.42	22.1	3.48
	0	11.2	1.87	12.7	2.09	14.1	2.31	15.6	2.53	17.0	2.75	18.5	2.97	21.4	3.42	22.1	3.48
	5	11.2	1.87	12.7	2.09	14.1	2.31	15.6	2.53	17.0	2.75	18.5	2.97	21.4	3.42	22.1	3.48
	10	11.2	1.87	12.7	2.09	14.1	2.31	15.6	2.53	17.0	2.75	18.5	2.97	21.4	3.42	22.1	3.48
	15	11.2	1.87	12.7	2.09	14.1	2.31	15.6	2.53	17.0	2.75	18.5	2.97	21.4	3.53	21.9	3.60
	21	11.2	1.96	12.7	2.20	14.1	2.49	15.6	2.83	17.0	3.18	18.5	3.57	20.8	4.16	21.2	4.20
	23	11.2	2.06	12.7	2.33	14.1	2.67	15.6	3.03	17.0	3.42	18.5	3.83	20.5	4.37	20.9	4.41
	25	11.2	2.16	12.7	2.50	14.1	2.87	15.6	3.25	17.0	3.66	18.5	4.10	20.3	4.58	20.7	4.62
	27	11.2	2.31	12.7	2.68	14.1	3.07	15.6	3.48	17.0	3.92	18.5	4.39	20.0	4.79	20.4	4.83
	30	11.2	2.56	12.7	2.96	14.1	3.39	15.6	3.85	17.0	4.34	18.5	4.86	19.7	5.12	20.0	5.16
	33	11.2	2.82	12.7	3.27	14.1											

Cooling capacity at rated condition: 15.5 kW (6 HP)

Total rated capacity of indoor unit	Outdoor temperature	Indoor temperature															
		20°CDB/15°CWB		23°CDB/16°CWB		24°CDB/17°CWB		26°CDB/18°CWB		27°CDB/19°CWB		28°CDB/20°CWB		30°CDB/22°CWB		32°CDB/23°CWB	
	°CDB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
15.5 (100%)	-5	10.2	1.71	11.5	1.91	12.9	2.11	14.2	2.32	15.5	2.52	16.8	2.72	19.5	3.12	20.8	3.32
	0	10.2	1.71	11.5	1.91	12.9	2.11	14.2	2.32	15.5	2.52	16.8	2.72	19.5	3.12	20.8	3.32
	5	10.2	1.71	11.5	1.91	12.9	2.11	14.2	2.32	15.5	2.52	16.8	2.72	19.5	3.12	20.8	3.32
	10	10.2	1.71	11.5	1.91	12.9	2.11	14.2	2.32	15.5	2.52	16.8	2.72	19.5	3.12	20.8	3.32
	15	10.2	1.71	11.5	1.91	12.9	2.11	14.2	2.32	15.5	2.52	16.8	2.72	19.5	3.12	20.8	3.38
	21	10.2	1.76	11.5	1.97	12.9	2.17	14.2	2.44	15.5	2.74	16.8	3.06	19.5	3.74	20.6	4.05
	23	10.2	1.83	11.5	2.05	12.9	2.30	14.2	2.60	15.5	2.92	16.8	3.26	19.5	3.99	20.4	4.22
	25	10.2	1.91	11.5	2.15	12.9	2.45	14.2	2.77	15.5	3.11	16.8	3.47	19.5	4.24	20.1	4.39
	27	10.2	1.98	11.5	2.28	12.9	2.60	14.2	2.94	15.5	3.30	16.8	3.68	19.5	4.51	19.9	4.56
	30	10.2	2.16	11.5	2.50	12.9	2.85	14.2	3.22	15.5	3.61	16.8	4.03	19.1	4.78	19.5	4.82
	33	10.2	2.36	11.5	2.72	12.9	3.11	14.2	3.51	15.5	3.94	16.8	4.40	18.8	5.05	19.2	5.09
	35	10.2	2.50	11.5	2.88	12.9	3.29	14.2	3.72	15.5	4.18	16.8	4.66	18.5	5.24	18.9	5.28
	37	10.2	2.64	11.5	3.05	12.9	3.48	14.2	3.94	15.5	4.43	16.8	4.96	18.1	5.33	18.5	5.38
	40	10.2	3.00	11.5	3.47	12.9	3.97	14.2	4.51	15.5	5.09	16.3	5.17	17.0	5.17	17.4	5.17
	43	10.2	3.42	11.5	3.96	12.9	4.55	14.2	5.17	14.7	5.17	15.0	5.17	15.7	5.17	16.0	5.17
46	10.2	3.89	11.5	4.52	12.8	4.92	13.1	4.92	13.4	4.92	13.7	4.92	14.3	4.92	14.6	4.92	
13.9 (90%)	-5	9.2	1.56	10.4	1.74	11.6	1.92	12.8	2.10	13.9	2.28	15.1	2.46	17.5	2.83	18.7	3.01
	0	9.2	1.56	10.4	1.74	11.6	1.92	12.8	2.10	13.9	2.28	15.1	2.46	17.5	2.83	18.7	3.01
	5	9.2	1.56	10.4	1.74	11.6	1.92	12.8	2.10	13.9	2.28	15.1	2.46	17.5	2.83	18.7	3.01
	10	9.2	1.56	10.4	1.74	11.6	1.92	12.8	2.10	13.9	2.28	15.1	2.46	17.5	2.83	18.7	3.01
	15	9.2	1.56	10.4	1.74	11.6	1.92	12.8	2.10	13.9	2.28	15.1	2.46	17.5	2.83	18.7	3.01
	21	9.2	1.60	10.4	1.79	11.6	1.97	12.8	2.16	13.9	2.39	15.1	2.66	17.5	3.23	18.7	3.54
	23	9.2	1.67	10.4	1.86	11.6	2.06	12.8	2.28	13.9	2.55	15.1	2.83	17.5	3.44	18.7	3.77
	25	9.2	1.73	10.4	1.94	11.6	2.16	12.8	2.43	13.9	2.71	15.1	3.01	17.5	3.66	18.7	4.01
	27	9.2	1.80	10.4	2.02	11.6	2.29	12.8	2.58	13.9	2.88	15.1	3.20	17.5	3.89	18.7	4.26
	30	9.2	1.92	10.4	2.21	11.6	2.51	12.8	2.82	13.9	3.15	15.1	3.50	17.5	4.26	18.7	4.67
	33	9.2	2.09	10.4	2.40	11.6	2.73	12.8	3.08	13.9	3.44	15.1	3.83	17.5	4.65	18.6	5.02
	35	9.2	2.21	10.4	2.54	11.6	2.89	12.8	3.26	13.9	3.65	15.1	4.05	17.5	4.93	18.3	5.21
	37	9.2	2.34	10.4	2.69	11.6	3.06	12.8	3.45	13.9	3.86	15.1	4.29	17.5	5.25	17.9	5.31
	40	9.2	2.64	10.4	3.04	11.6	3.46	12.8	3.91	13.9	4.39	15.1	4.90	16.6	5.17	16.9	5.17
	43	9.2	2.98	10.4	3.45	11.6	3.94	12.8	4.45	13.9	5.00	14.7	5.17	15.3	5.17	15.7	5.17
46	9.2	3.38	10.4	3.91	11.6	4.47	12.8	4.92	13.2	4.92	13.5	4.92	14.1	4.92	14.4	4.92	
12.4 (80%)	-5	8.2	1.40	9.2	1.56	10.3	1.72	11.3	1.88	12.4	2.05	13.5	2.21	15.6	2.53	16.6	2.69
	0	8.2	1.40	9.2	1.56	10.3	1.72	11.3	1.88	12.4	2.05	13.5	2.21	15.6	2.53	16.6	2.69
	5	8.2	1.40	9.2	1.56	10.3	1.72	11.3	1.88	12.4	2.05	13.5	2.21	15.6	2.53	16.6	2.69
	10	8.2	1.40	9.2	1.56	10.3	1.72	11.3	1.88	12.4	2.05	13.5	2.21	15.6	2.53	16.6	2.69
	15	8.2	1.40	9.2	1.56	10.3	1.72	11.3	1.88	12.4	2.05	13.5	2.21	15.6	2.53	16.6	2.69
	21	8.2	1.44	9.2	1.61	10.3	1.77	11.3	1.94	12.4	2.10	13.5	2.29	15.6	2.76	16.6	3.01
	23	8.2	1.50	9.2	1.67	10.3	1.85	11.3	2.02	12.4	2.20	13.5	2.44	15.6	2.94	16.6	3.21
	25	8.2	1.56	9.2	1.74	10.3	1.92	11.3	2.11	12.4	2.35	13.5	2.59	15.6	3.13	16.6	3.41
	27	8.2	1.62	9.2	1.81	10.3	2.00	11.3	2.24	12.4	2.49	13.5	2.76	15.6	3.33	16.6	3.63
	30	8.2	1.72	9.2	1.93	10.3	2.18	11.3	2.45	12.4	2.73	13.5	3.02	15.6	3.64	16.6	3.97
	33	8.2	1.84	9.2	2.10	10.3	2.38	11.3	2.67	12.4	2.97	13.5	3.29	15.6	3.97	16.6	4.33
	35	8.2	1.94	9.2	2.22	10.3	2.52	11.3	2.83	12.4	3.15	13.5	3.49	15.6	4.21	16.6	4.59
	37	8.2	2.05	9.2	2.35	10.3	2.66	11.3	2.99	12.4	3.33	13.5	3.69	15.6	4.46	16.6	4.88
	40	8.2	2.25	9.2	2.58	10.3	2.93	11.3	3.29	12.4	3.67	13.5	4.08	15.6	4.95	16.4	5.17
	43	8.2	2.55	9.2	2.93	10.3	3.33	11.3	3.76	12.4	4.20	13.5	4.66	14.9	5.17	15.2	5.17
46	8.2	2.90	9.2	3.34	10.3	3.80	11.3	4.28	12.4	4.79	13.1	4.92	13.7	4.92	14.0	4.92	
10.8 (70%)	-5	7.1	1.25	8.1	1.39	9.0	1.53	9.9	1.67	10.8	1.81	11.8	1.95	13.6	2.23	14.6	2.37
	0	7.1	1.25	8.1	1.39	9.0	1.53	9.9	1.67	10.8	1.81	11.8	1.95	13.6	2.23	14.6	2.37
	5	7.1	1.25	8.1	1.39	9.0	1.53	9.9	1.67	10.8	1.81	11.8	1.95	13.6	2.23	14.6	2.37
	10	7.1	1.25	8.1	1.39	9.0	1.53	9.9	1.67	10.8	1.81	11.8	1.95	13.6	2.23	14.6	2.37
	15	7.1	1.25	8.1	1.39	9.0	1.53	9.9	1.67	10.8	1.81	11.8	1.95	13.6	2.23	14.6	2.37
	21	7.1	1.28	8.1	1.43	9.0	1.57	9.9	1.72	10.8	1.86	11.8	2.01	13.6	2.32	14.6	2.53
	23	7.1	1.33	8.1	1.48	9.0	1.63	9.9	1.79	10.8	1.94	11.8	2.09	13.6	2.48	14.6	2.69
	25	7.1	1.38	8.1	1.54	9.0	1.70	9.9	1.86	10.8	2.02	11.8	2.20	13.6	2.64	14.6	2.87
	27	7.1	1.44	8.1	1.60	9.0	1.77	9.9	1.93	10.8	2.13	11.8	2.34	13.6	2.80	14.6	3.05
	30	7.1	1.52	8.1	1.70	9.0	1.88	9.9	2.10	10.8	2.32	11.8	2.56	13.6	3.06	14.6	3.33
	33	7.1	1.61	8.1	1.81	9.0	2.04	9.9	2.28	10.8	2.53	11.8	2.79	13.6	3.34	14.6	3.64
	35	7.1	1.68	8.1	1.92	9.0	2.16	9.9	2.42	10.8	2.68	11.8	2.96	13.6	3.54	14.6	3.85
	37	7.1	1.78	8.1	2.03	9.0	2.29	9.9	2.56	10.8	2.84	11.8	3.13	13.6	3.75	14.6	4.08
	40	7.1	1.93	8.1	2.20	9.0	2.48	9.9	2.78	10.8	3.08	11.8	3.40	13.6	4.10	14.6	4.47
	43	7.1	2.09	8.1	2.38	9.0	2.70	9.9	3.02	10.8	3.37	11.8	3.72	13.6	4.49	14.6	4.90
46	7.1	2.37	8.1	2.71	9.0	3.07	9.9	3.45	10.8	3.84	11.8	4.25	13.3	4.91	13.6	4.92	
9.3 (60%)	-5	6.1	1.09	6.9	1.21	7.7	1.33	8.5	1.45	9.3	1.57	10.1	1.69	11.7	1.94	12.5	2.06
	0	6.1	1.09	6.9	1.21	7.7	1.33	8.5	1.45	9.3	1.57	10.1	1.69	11.7	1.94	12.5	2.06
	5	6.1	1.09	6.9	1.21	7.7	1.33	8.5	1.45	9.3	1.57	10.1	1.69	11.7	1.94	12.5	2.06
	10	6.1	1.09	6.9	1.21	7.7	1.33	8.5	1.45	9.3	1.57	10.1	1.69	11.7	1.94	12.5	2.06
	15	6.1	1.09	6.9	1.21	7.7	1.33	8.5									

Cooling capacity at rated condition: 15.5 kW (6 HP)

Total rated capacity of indoor unit	Outdoor temperature	Indoor temperature															
		20°CDB/15°CWB		23°CDB/16°CWB		24°CDB/17°CWB		26°CDB/18°CWB		27°CDB/19°CWB		28°CDB/20°CWB		30°CDB/22°CWB		32°CDB/23°CWB	
	°CDB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
7.8 (50%)	-5	5.1	0.94	5.8	1.04	6.4	1.14	7.1	1.24	7.8	1.34	8.4	1.44	9.7	1.64	10.4	1.74
	0	5.1	0.94	5.8	1.04	6.4	1.14	7.1	1.24	7.8	1.34	8.4	1.44	9.7	1.64	10.4	1.74
	5	5.1	0.94	5.8	1.04	6.4	1.14	7.1	1.24	7.8	1.34	8.4	1.44	9.7	1.64	10.4	1.74
	10	5.1	0.94	5.8	1.04	6.4	1.14	7.1	1.24	7.8	1.34	8.4	1.44	9.7	1.64	10.4	1.74
	15	5.1	0.94	5.8	1.04	6.4	1.14	7.1	1.24	7.8	1.34	8.4	1.44	9.7	1.64	10.4	1.74
	21	5.1	0.96	5.8	1.06	6.4	1.17	7.1	1.27	7.8	1.38	8.4	1.48	9.7	1.69	10.4	1.79
	23	5.1	1.00	5.8	1.11	6.4	1.21	7.1	1.32	7.8	1.43	8.4	1.54	9.7	1.76	10.4	1.86
	25	5.1	1.03	5.8	1.15	6.4	1.26	7.1	1.37	7.8	1.49	8.4	1.60	9.7	1.83	10.4	1.94
	27	5.1	1.07	5.8	1.19	6.4	1.31	7.1	1.43	7.8	1.55	8.4	1.66	9.7	1.90	10.4	2.02
	30	5.1	1.13	5.8	1.26	6.4	1.39	7.1	1.51	7.8	1.64	8.4	1.76	9.7	2.05	10.4	2.21
	33	5.1	1.20	5.8	1.33	6.4	1.46	7.1	1.60	7.8	1.74	8.4	1.90	9.7	2.24	10.4	2.41
	35	5.1	1.24	5.8	1.38	6.4	1.52	7.1	1.67	7.8	1.84	8.4	2.01	9.7	2.37	10.4	2.55
	37	5.1	1.28	5.8	1.43	6.4	1.59	7.1	1.76	7.8	1.94	8.4	2.12	9.7	2.50	10.4	2.70
	40	5.1	1.37	5.8	1.54	6.4	1.73	7.1	1.91	7.8	2.11	8.4	2.30	9.7	2.72	10.4	2.93
43	5.1	1.48	5.8	1.67	6.4	1.87	7.1	2.07	7.8	2.28	8.4	2.50	9.7	2.96	10.4	3.20	
46	5.1	1.66	5.8	1.89	6.4	2.11	7.1	2.35	7.8	2.59	8.4	2.85	9.7	3.37	10.4	3.65	

MODEL SELECTION

MODEL SELECTION