





Heating capacity at rated condition: 33.5 kW (12HP)

Total rated capacity of indoor unit	Outdoor temperature		Indoor temperature													
			16°CDB		18°CDB		20°CDB		21°CDB		22°CDB		24°CDB		26°CDB	
	°CDB	°CWB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
18.8 (50%)	-19.3	-20.0	19.7	7.91	19.5	8.01	18.8	7.79	18.1	7.51	17.4	7.23	16.1	6.68	14.7	6.14
	-15.0	-16.0	21.4	7.96	20.1	7.46	18.8	6.96	18.1	6.72	17.4	6.47	16.1	5.99	14.7	5.51
	-12.0	-13.0	21.4	7.37	20.1	6.91	18.8	6.45	18.1	6.23	17.4	6.00	16.1	5.56	14.7	5.12
	-9.0	-10.0	21.4	6.86	20.1	6.43	18.8	6.01	18.1	5.80	17.4	5.60	16.1	5.18	14.7	4.78
	-7.0	-8.0	21.4	6.55	20.1	6.15	18.8	5.75	18.1	5.55	17.4	5.35	16.1	4.96	14.7	4.57
	-5.0	-6.0	21.4	6.27	20.1	5.89	18.8	5.50	18.1	5.32	17.4	5.13	16.1	4.75	14.7	4.38
	-3.0	-4.0	21.4	6.01	20.1	5.64	18.8	5.28	18.1	5.10	17.4	4.92	16.1	4.56	14.7	4.21
	-1.0	-2.0	21.4	5.76	20.1	5.41	18.8	5.06	18.1	4.89	17.4	4.72	16.1	4.38	14.7	4.04
	0.0	-1.0	21.4	5.64	20.1	5.30	18.8	4.96	18.1	4.79	17.4	4.63	16.1	4.29	14.7	3.96
	2.0	1.0	21.4	5.42	20.1	5.09	18.8	4.77	18.1	4.61	17.4	4.45	16.1	4.13	14.7	3.81
	5.0	4.0	21.4	5.10	20.1	4.80	18.8	4.49	18.1	4.34	17.4	4.19	16.1	3.90	14.7	3.60
	7.0	6.0	21.4	4.91	20.1	4.61	18.8	4.32	18.1	4.18	17.4	4.04	16.1	3.75	14.7	3.47
	9.0	7.8	21.4	4.74	20.1	4.46	18.8	4.18	18.1	4.04	17.4	3.90	16.1	3.63	14.7	3.35
	12.0	10.6	21.4	4.49	20.1	4.22	18.8	3.96	18.1	3.83	17.4	3.70	16.1	3.44	14.7	3.19
	15.0	13.5	21.4	4.24	20.1	3.99	18.8	3.75	18.1	3.62	17.4	3.50	16.1	3.26	14.7	3.02

MODEL SELECTION

MODEL SELECTION