


# Model: ARXG12KLLAP

**NOTE:** This data is measured installing the Auto louver grille kit (option).


Measuring conditions	Fan speed	Operation mode
	HIGH	FAN

- Air velocity distribution


Top view  
Vertical airflow direction louver: Up  
Horizontal airflow direction louver: Center



Top view  
Vertical airflow direction louver: Up  
Horizontal airflow direction louver: Left & Right




Side view  
Vertical airflow direction louver: Up  
Horizontal airflow direction louver: Center



Measuring conditions	Fan speed	Operation mode
	HIGH	HEAT


• Air velocity distribution

Side view  
Vertical airflow direction louver: Down  
Horizontal airflow direction louver: Center




• Air temperature distribution


Side view  
Vertical airflow direction louver: Down  
Horizontal airflow direction louver: Center



Model: ARXG12KLLAP




Available airflow rate range (High level)




\*1: Available airflow rate range when Auto louver grille (option) is installed.  
 Fan speed: HIGH  
 Vertical airflow direction louver: Up

## ● Characteristics of air volume and capacity

### • Cooling



### • Heating



## ■ Model: ARXG12KLLAP

### ● Cooling

Fan speed	Airflow	
HIGH	m <sup>3</sup> /h	650
	l/s	181
	CFM	383
MED	m <sup>3</sup> /h	600
	l/s	167
	CFM	353
LOW	m <sup>3</sup> /h	550
	l/s	153
	CFM	324
QUIET	m <sup>3</sup> /h	480
	l/s	133
	CFM	283

### ● Heating

Fan speed	Airflow	
HIGH	m <sup>3</sup> /h	650
	l/s	181
	CFM	383
MED	m <sup>3</sup> /h	600
	l/s	167
	CFM	353
LOW	m <sup>3</sup> /h	550
	l/s	153
	CFM	324
QUIET	m <sup>3</sup> /h	480
	l/s	133
	CFM	283