




# Model: ARXG14KLLAP

**NOTE:** This data is measured after installing optional Auto louver grille kit.

- Air velocity distribution


Measuring conditions	Fan speed	Operation mode
	HIGH	FAN



• Air velocity distribution

Measuring conditions	Fan speed	Operation mode
	HIGH	HEAT


Side view  
Vertical airflow direction louver: Down  
Horizontal airflow direction louver: Center





• Air temperature distribution

Measuring conditions	Fan speed	Operation mode
	HIGH	HEAT

Side view  
Vertical airflow direction louver: Down  
Horizontal airflow direction louver: Center



Model: ARXG14KLLAP




\*1: Available airflow rate range when Auto louver grille (option) is installed.

Fan speed: HIGH


Vertical airflow direction louver: Up

## ● Characteristics of air volume and capacity

### • Cooling



### • Heating



## ■ Model: ARXG14KLLAP

### ● Cooling

Fan speed	Airflow	
HIGH	m <sup>3</sup> /h	800
	l/s	222
	CFM	471
MED	m <sup>3</sup> /h	700
	l/s	194
	CFM	412
LOW	m <sup>3</sup> /h	600
	l/s	167
	CFM	353
QUIET	m <sup>3</sup> /h	480
	l/s	133
	CFM	283

### ● Heating

Fan speed	Airflow	
HIGH	m <sup>3</sup> /h	800
	l/s	222
	CFM	471
MED	m <sup>3</sup> /h	700
	l/s	194
	CFM	412
LOW	m <sup>3</sup> /h	600
	l/s	167
	CFM	353
QUIET	m <sup>3</sup> /h	480
	l/s	133
	CFM	283