

Model: AJ*126LALDH

MODEL
SELECTIONMODEL
SELECTION

Heating capacity at rated condition: 40.0 kW (14HP)																
Total rated capacity of indoor unit	Outdoor temperature		Indoor temperature													
			16°CDB		18°CDB		20°CDB		21°CDB		22°CDB		24°CDB		26°CDB	
	°CDB	°CWB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
67.5 (150%)	-19.3	-20.0	27.0	8.85	26.7	8.99	26.4	9.13	26.2	9.19	26.0	9.26	25.7	9.40	25.4	9.54
	-15.0	-16.0	30.2	9.24	29.9	9.40	29.7	9.56	29.6	9.64	29.4	9.72	29.2	9.88	29.0	10.05
	-12.0	-13.0	32.9	9.53	32.6	9.71	32.4	9.89	32.3	9.97	32.2	10.06	32.0	10.24	31.8	10.42
	-9.0	-10.0	35.7	9.82	35.5	10.01	35.3	10.20	35.2	10.30	35.1	10.39	34.9	10.59	34.8	10.78
	-7.0	-8.0	37.7	10.01	37.5	10.21	37.3	10.41	37.3	10.51	37.2	10.61	37.0	10.81	36.8	11.02
	-5.0	-6.0	39.8	10.20	39.6	10.41	39.4	10.62	39.3	10.72	39.2	10.83	39.1	11.04	38.9	11.25
	-3.0	-4.0	41.9	10.38	41.7	10.60	41.5	10.82	41.5	10.93	41.4	11.04	41.2	11.26	41.0	11.48
	-1.0	-2.0	44.1	10.56	43.9	10.79	43.7	11.02	43.6	11.13	43.5	11.24	43.3	11.47	43.2	11.70
	0.0	-1.0	45.2	10.65	45.0	10.88	44.8	11.11	44.7	11.23	44.6	11.34	44.4	11.58	44.2	11.81
	2.0	1.0	47.4	10.83	47.2	11.07	47.0	11.31	46.9	11.43	46.8	11.55	46.6	11.79	46.4	12.03
	5.0	4.0	50.9	11.09	50.6	11.34	50.4	11.59	50.3	11.71	50.2	11.84	50.0	12.09	49.7	12.34
	7.0	6.0	53.2	11.26	52.9	11.51	52.7	11.77	52.6	11.90	52.4	12.02	52.2	12.28	51.9	12.54
	9.0	7.8	55.3	11.40	55.0	11.66	54.7	11.93	54.6	12.06	54.5	12.19	54.2	12.45	53.0	12.71
	12.0	10.6	58.6	11.63	58.2	11.89	57.9	12.16	57.8	12.30	57.6	12.43	57.3	12.70	53.0	12.18
	15.0	13.5	62.0	11.84	61.6	12.12	61.2	12.39	61.1	12.53	60.9	12.67	57.9	12.67	53.0	11.50
63.0 (140%)	-19.3	-20.0	26.9	8.90	26.6	9.04	26.2	9.18	26.1	9.25	25.9	9.31	25.6	9.45	25.3	9.59
	-15.0	-16.0	30.1	9.31	29.8	9.47	29.6	9.63	29.5	9.71	29.3	9.79	29.1	9.95	28.8	10.12
	-12.0	-13.0	32.8	9.62	32.5	9.79	32.3	9.97	32.2	10.06	32.1	10.15	31.9	10.32	31.7	10.50
	-9.0	-10.0	35.6	9.92	35.4	10.11	35.2	10.30	35.1	10.40	35.0	10.49	34.8	10.69	34.7	10.88
	-7.0	-8.0	37.6	10.12	37.4	10.32	37.2	10.52	37.2	10.62	37.1	10.72	36.9	10.92	36.7	11.13
	-5.0	-6.0	39.7	10.32	39.5	10.53	39.3	10.74	39.2	10.84	39.1	10.95	39.0	11.16	38.8	11.37
	-3.0	-4.0	41.8	10.52	41.6	10.73	41.4	10.95	41.3	11.06	41.3	11.17	41.1	11.39	40.9	11.61
	-1.0	-2.0	44.0	10.71	43.8	10.93	43.6	11.16	43.5	11.27	43.4	11.39	43.2	11.62	43.0	11.84
	0.0	-1.0	45.1	10.80	44.9	11.03	44.7	11.26	44.6	11.38	44.5	11.50	44.3	11.73	44.1	11.96
	2.0	1.0	47.3	10.99	47.1	11.23	46.9	11.47	46.8	11.59	46.7	11.71	46.5	11.95	46.3	12.19
	5.0	4.0	50.7	11.27	50.5	11.52	50.2	11.77	50.1	11.89	50.0	12.02	49.8	12.27	49.5	12.52
	7.0	6.0	53.0	11.45	52.7	11.71	52.5	11.96	52.4	12.09	52.2	12.22	52.0	12.47	49.5	12.38
	9.0	7.8	55.1	11.61	54.8	11.87	54.5	12.13	54.4	12.26	54.2	12.39	54.0	12.66	49.5	11.94
	12.0	10.6	58.3	11.85	58.0	12.12	57.7	12.39	57.5	12.52	57.3	12.66	54.0	12.43	49.5	11.30
	15.0	13.5	61.6	12.09	61.3	12.36	60.9	12.64	60.7	12.77	58.5	12.83	54.0	11.73	49.5	10.66
58.5 (130%)	-19.3	-20.0	26.7	8.96	26.4	9.10	26.1	9.23	25.9	9.30	25.8	9.37	25.5	9.51	25.2	9.65
	-15.0	-16.0	30.0	9.39	29.7	9.55	29.5	9.71	29.3	9.79	29.2	9.87	29.0	10.03	28.7	10.19
	-12.0	-13.0	32.6	9.71	32.4	9.89	32.2	10.06	32.1	10.15	32.0	10.24	31.8	10.42	31.6	10.60
	-9.0	-10.0	35.5	10.03	35.3	10.22	35.1	10.41	35.0	10.51	34.9	10.61	34.7	10.80	34.5	10.99
	-7.0	-8.0	37.5	10.25	37.3	10.45	37.1	10.65	37.0	10.75	36.9	10.85	36.8	11.05	36.6	11.25
	-5.0	-6.0	39.6	10.46	39.4	10.67	39.2	10.88	39.1	10.98	39.0	11.09	38.8	11.30	38.7	11.51
	-3.0	-4.0	41.7	10.67	41.5	10.89	41.3	11.10	41.2	11.21	41.1	11.32	41.0	11.54	40.8	11.76
	-1.0	-2.0	43.8	10.88	43.6	11.10	43.5	11.33	43.4	11.44	43.3	11.55	43.1	11.78	42.9	12.01
	0.0	-1.0	44.9	10.98	44.7	11.21	44.5	11.44	44.5	11.55	44.4	11.67	44.2	11.90	44.0	12.13
	2.0	1.0	47.1	11.18	46.9	11.42	46.7	11.66	46.6	11.78	46.5	11.90	46.3	12.13	46.0	12.37
	5.0	4.0	50.5	11.48	50.3	11.73	50.1	11.98	49.9	12.10	49.8	12.23	49.6	12.48	46.0	11.90
	7.0	6.0	52.8	11.68	52.5	11.93	52.3	12.19	52.1	12.31	52.0	12.44	50.1	12.56	46.0	11.43
	9.0	7.8	54.8	11.85	54.5	12.11	54.3	12.37	54.1	12.50	54.0	12.63	50.1	12.11	46.0	11.02
	12.0	10.6	58.0	12.11	57.7	12.38	57.4	12.64	56.4	12.78	54.3	12.51	50.1	11.46	46.0	10.42
	15.0	13.5	61.3	12.37	60.9	12.64	58.5	12.83	56.4	12.31	54.3	11.81	50.1	10.81	46.0	9.84
54.0 (120%)	-19.3	-20.0	26.6	9.03	26.2	9.17	25.9	9.30	25.8	9.37	25.6	9.44	25.3	9.58	25.0	9.72
	-15.0	-16.0	29.8	9.48	29.6	9.64	29.3	9.80	29.2	9.88	29.1	9.96	28.8	10.12	28.6	10.29
	-12.0	-13.0	32.5	9.82	32.3	10.00	32.1	10.18	32.0	10.26	31.9	10.35	31.6	10.53	31.4	10.71
	-9.0	-10.0	35.4	10.17	35.2	10.36	35.0	10.55	34.9	10.64	34.8	10.74	34.6	10.93	34.4	11.12
	-7.0	-8.0	37.4	10.39	37.2	10.59	37.0	10.79	36.9	10.89	36.8	10.99	36.6	11.20	36.5	11.40
	-5.0	-6.0	39.4	10.62	39.2	10.83	39.1	11.04	39.0	11.14	38.9	11.25	38.7	11.46	38.5	11.67
	-3.0	-4.0	41.5	10.85	41.3	11.06	41.2	11.28	41.1	11.39	41.0	11.50	40.8	11.72	40.6	11.94
	-1.0	-2.0	43.7	11.07	43.5	11.29	43.3	11.52	43.2	11.63	43.1	11.75	42.9	11.97	42.4	12.20
	0.0	-1.0	44.8	11.18	44.6	11.41	44.4	11.64	44.3	11.75	44.2	11.87	44.0	12.10	42.4	12.10
	2.0	1.0	46.9	11.40	46.7	11.64	46.5	11.87	46.4	11.99	46.3	12.11	46.1	12.35	42.4	11.61
	5.0	4.0	50.3	11.73	50.1	11.97	49.8	12.22	49.7	12.34	49.6	12.47	46.3	11.99	42.4	10.92
	7.0	6.0	52.5	11.94	52.3	12.19	52.0	12.44	51.9	12.57	50.1	12.56	46.3	11.51	42.4	10.49
	9.0	7.8	54.5	12.13	54.2	12.38	54.0	12.64	52.1	12.63	50.1	12.11	46.3	11.11	42.4	10.12
	12.0	10.6	57.6	12.41	57.3	12.67	54.0	12.43	52.1	11.94	50.1	11.46	46.3	10.50	42.4	9.57
	15.0	13.5	60.8	12.69	57.9	12.67	54.0	11.73	52.1	11.27	50.1	10.81	46.3	9.92	42.4	9.04
49.5 (110%)	-19.3	-20.0	26.4	9.11	26.1	9.25	25.7	9.38	25.6	9.45	25.4	9.52	25.1	9.66	24.9	9.80
	-15.0	-16.0	29.6	9.59	29.4	9.75	29.1	9.91	29.0	9.99	28.9	10.07	28.7	10.23	28.4	10.39
	-12.0	-13.0	32.3	9.96	32.1	10.13	31.9	10.31	31.8	10.39	31.7	10.48	31.5	10.66	31.3	10.84
	-9.0	-10.0	35.2	10.32	35.0	10.51	34.8	10.70	34.7	10.80	34.6	10.89	34.5	11.09	34.3	11.28
	-7.0	-8.0	37.2	10.57	37.0	10.77	36.8	10.97	36.7	11.07	36.7	11.17	36.5	11.37	36.3	11.57
	-5.0	-6.0	39.2	10.81	39.1	11.02	38.9	11.23	38.8	11.33	38.7	11.44	38.5	11.65	38.4	11.86
	-3.0	-4.0	41.3	11.05	41.2	11.27	41.0	11.49	40.9	11.60	40.8	11.71	40.6	11.93	38.9	11.76
	-1.0	-2.0	43.5	11.30	43.3	11.52	43.1	11.75	43.0	11.86	42.9	11.97	42.4	12.20	38.9	11.27
	0.0	-1.0	44.6	11.42	44.4	11.65	44.2	11.88	44.1	11.99						

Heating capacity at rated condition: 40.0 kW (14HP)																
Total rated capacity of indoor unit	Outdoor temperature		Indoor temperature													
			16°CDB		18°CDB		20°CDB		21°CDB		22°CDB		24°CDB		26°CDB	
	°CDB	°CWB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
45.0 (100%)	-19.3	-20.0	26.1	9.20	25.8	9.34	25.5	9.48	25.4	9.55	25.2	9.62	24.9	9.76	24.6	9.89
	-15.0	-16.0	29.4	9.72	29.2	9.88	29.0	10.04	28.8	10.12	28.7	10.20	28.5	10.36	28.2	10.52
	-12.0	-13.0	32.1	10.11	31.9	10.29	31.7	10.46	31.6	10.55	31.5	10.64	31.3	10.82	31.1	10.99
	-9.0	-10.0	35.0	10.51	34.8	10.70	34.6	10.89	34.5	10.98	34.5	11.08	34.3	11.27	34.1	11.46
	-7.0	-8.0	37.0	10.77	36.8	10.97	36.7	11.17	36.6	11.27	36.5	11.37	36.3	11.57	35.4	11.61
	-5.0	-6.0	39.1	11.04	38.9	11.25	38.7	11.45	38.6	11.56	38.5	11.66	38.4	11.87	35.4	11.11
	-3.0	-4.0	41.1	11.30	41.0	11.52	40.8	11.74	40.7	11.85	40.6	11.95	38.6	11.65	35.4	10.64
	-1.0	-2.0	43.3	11.57	43.1	11.79	42.9	12.02	42.8	12.13	41.8	12.16	38.6	11.17	35.4	10.20
	0.0	-1.0	44.3	11.70	44.1	11.93	43.9	12.16	43.4	12.27	41.8	11.91	38.6	10.94	35.4	9.99
	2.0	1.0	46.5	11.96	46.3	12.20	45.0	12.37	43.4	11.89	41.8	11.42	38.6	10.49	35.4	9.58
	5.0	4.0	49.7	12.35	48.2	12.53	45.0	11.63	43.4	11.19	41.8	10.74	38.6	9.87	35.4	9.02
	7.0	6.0	51.4	12.60	48.2	12.03	45.0	11.17	43.4	10.74	41.8	10.32	38.6	9.49	35.4	8.67
	9.0	7.8	51.4	12.45	48.2	11.61	45.0	10.77	43.4	10.36	41.8	9.96	38.6	9.15	35.4	8.36
	12.0	10.6	51.4	11.78	48.2	10.98	45.0	10.19	43.4	9.80	41.8	9.42	38.6	8.66	35.4	7.91
	15.0	13.5	51.4	11.12	48.2	10.36	45.0	9.62	43.4	9.25	41.8	8.89	38.6	8.18	35.4	7.48
40.5 (90%)	-19.3	-20.0	25.9	9.32	25.6	9.46	25.3	9.60	25.1	9.66	25.0	9.73	24.7	9.87	24.4	10.01
	-15.0	-16.0	29.2	9.88	29.0	10.04	28.7	10.20	28.6	10.28	28.5	10.36	28.2	10.52	28.0	10.68
	-12.0	-13.0	31.9	10.30	31.7	10.48	31.5	10.65	31.4	10.74	31.3	10.83	31.1	11.01	30.9	11.18
	-9.0	-10.0	34.8	10.73	34.6	10.92	34.4	11.11	34.3	11.21	34.2	11.30	34.1	11.50	31.8	10.89
	-7.0	-8.0	36.8	11.02	36.6	11.22	36.4	11.42	36.3	11.52	36.3	11.62	34.7	11.39	31.8	10.40
	-5.0	-6.0	38.8	11.31	38.6	11.52	38.5	11.73	38.4	11.83	37.6	11.85	34.7	10.89	31.8	9.96
	-3.0	-4.0	40.9	11.61	40.7	11.82	40.5	12.04	39.1	11.81	37.6	11.35	34.7	10.43	31.8	9.54
	-1.0	-2.0	43.0	11.90	42.8	12.12	40.5	11.76	39.1	11.32	37.6	10.88	34.7	10.00	31.8	9.15
	0.0	-1.0	44.0	12.04	43.4	12.27	40.5	11.52	39.1	11.08	37.6	10.65	34.7	9.80	31.8	8.96
	2.0	1.0	46.1	12.33	43.4	11.89	40.5	11.05	39.1	10.63	37.6	10.22	34.7	9.40	31.8	8.60
	5.0	4.0	46.3	11.99	43.4	11.19	40.5	10.39	39.1	10.00	37.6	9.62	34.7	8.85	31.8	8.10
	7.0	6.0	46.3	11.51	43.4	10.74	40.5	9.99	39.1	9.61	37.6	9.24	34.7	8.50	31.8	7.78
	9.0	7.8	46.3	11.11	43.4	10.36	40.5	9.63	39.1	9.27	37.6	8.91	34.7	8.21	31.8	7.51
	12.0	10.6	46.3	10.50	43.4	9.80	40.5	9.11	39.1	8.77	37.6	8.43	34.7	7.77	31.8	7.11
	15.0	13.5	46.3	9.91	43.4	9.25	40.5	8.61	39.1	8.28	37.6	7.97	34.7	7.34	31.8	6.72
36.0 (80%)	-19.3	-20.0	25.5	9.47	25.2	9.60	25.0	9.74	24.8	9.81	24.7	9.88	24.4	10.02	24.1	10.16
	-15.0	-16.0	28.9	10.07	28.7	10.23	28.4	10.39	28.3	10.47	28.2	10.55	28.0	10.71	27.7	10.87
	-12.0	-13.0	31.6	10.54	31.4	10.71	31.2	10.89	31.1	10.98	31.0	11.06	30.8	11.24	28.3	10.35
	-9.0	-10.0	34.5	11.01	34.3	11.20	34.2	11.39	34.1	11.49	33.4	11.46	30.9	10.54	28.3	9.65
	-7.0	-8.0	36.5	11.33	36.3	11.53	36.0	11.73	34.7	11.39	33.4	10.95	30.9	10.08	28.3	9.22
	-5.0	-6.0	38.5	11.66	38.4	11.86	36.0	11.32	34.7	10.89	33.4	10.47	30.9	9.65	28.3	8.83
	-3.0	-4.0	40.6	11.98	38.6	11.65	36.0	10.84	34.7	10.43	33.4	10.03	30.9	9.24	28.3	8.46
	-1.0	-2.0	41.1	11.96	38.6	11.17	36.0	10.39	34.7	10.00	33.4	9.62	30.9	8.86	28.3	8.12
	0.0	-1.0	41.1	11.71	38.6	10.94	36.0	10.17	34.7	9.80	33.4	9.42	30.9	8.68	28.3	7.95
	2.0	1.0	41.1	11.24	38.6	10.50	36.0	9.76	34.7	9.40	33.4	9.04	30.9	8.34	28.3	7.64
	5.0	4.0	41.1	10.57	38.6	9.87	36.0	9.19	34.7	8.85	33.4	8.51	30.9	7.85	28.3	7.19
	7.0	6.0	41.1	10.15	38.6	9.49	36.0	8.83	34.7	8.50	33.4	8.18	30.9	7.55	28.3	6.92
	9.0	7.8	41.1	9.79	38.6	9.15	36.0	8.52	34.7	8.21	33.4	7.90	30.9	7.28	28.3	6.68
	12.0	10.6	41.1	9.26	38.6	8.66	36.0	8.06	34.7	7.77	33.4	7.47	30.9	6.89	28.3	6.32
	15.0	13.5	41.1	8.75	38.6	8.18	36.0	7.62	34.7	7.34	33.4	7.06	30.9	6.52	28.3	5.98
31.5 (70%)	-19.3	-20.0	25.1	9.65	24.8	9.79	24.6	9.93	24.4	9.99	24.3	10.06	24.0	10.20	23.7	10.34
	-15.0	-16.0	28.5	10.32	28.3	10.48	28.1	10.64	28.0	10.72	27.8	10.80	27.0	10.64	24.7	9.74
	-12.0	-13.0	31.3	10.84	31.1	11.01	30.9	11.19	30.4	11.14	29.2	10.71	27.0	9.87	24.7	9.04
	-9.0	-10.0	34.2	11.37	33.7	11.56	31.5	10.77	30.4	10.37	29.2	9.98	27.0	9.20	24.7	8.43
	-7.0	-8.0	36.0	11.73	33.7	11.06	31.5	10.29	30.4	9.92	29.2	9.54	27.0	8.80	24.7	8.06
	-5.0	-6.0	36.0	11.32	33.7	10.58	31.5	9.85	30.4	9.49	29.2	9.13	27.0	8.42	24.7	7.72
	-3.0	-4.0	36.0	10.84	33.7	10.13	31.5	9.44	30.4	9.09	29.2	8.75	27.0	8.07	24.7	7.41
	-1.0	-2.0	36.0	10.39	33.7	9.72	31.5	9.05	30.4	8.72	29.2	8.40	27.0	7.75	24.7	7.11
	0.0	-1.0	36.0	10.17	33.7	9.52	31.5	8.87	30.4	8.54	29.2	8.22	27.0	7.59	24.7	6.97
	2.0	1.0	36.0	9.76	33.7	9.13	31.5	8.51	30.4	8.20	29.2	7.90	27.0	7.29	24.7	6.69
	5.0	4.0	36.0	9.19	33.7	8.60	31.5	8.01	30.4	7.73	29.2	7.44	27.0	6.87	24.7	6.31
	7.0	6.0	36.0	8.83	33.7	8.26	31.5	7.70	30.4	7.43	29.2	7.15	27.0	6.61	24.7	6.07
	9.0	7.8	36.0	8.52	33.7	7.97	31.5	7.44	30.4	7.17	29.2	6.90	27.0	6.38	24.7	5.86
	12.0	10.6	36.0	8.06	33.7	7.55	31.5	7.04	30.4	6.79	29.2	6.54	27.0	6.04	24.7	5.55
	15.0	13.5	36.0	7.62	33.7	7.13	31.5	6.65	30.4	6.41	29.2	6.18	27.0	5.71	24.7	5.25
27.0 (60%)	-19.3	-20.0	24.6	9.90	24.3	10.03	24.1	10.17	23.9	10.24	23.8	10.31	23.1	10.14	21.2	9.29
	-15.0	-16.0	28.1	10.65	27.8	10.81	27.0	10.64	26.0	10.25	25.1	9.86	23.1	9.10	21.2	8.34
	-12.0	-13.0	30.8	11.24	28.9	10.59	27.0	9.87	26.0	9.51	25.1	9.16	23.1	8.45	21.2	7.75
	-9.0	-10.0	30.9	10.54	28.9	9.87	27.0	9.20	26.0	8.87	25.1	8.54	23.1	7.89	21.2	7.24
	-7.0	-8.0	30.9	10.08	28.9	9.43	27.0	8.80	26.0	8.48	25.1	8.17	23.1	7.55	21.2	6.93
	-5.0	-6.0	30.9	9.64	28.9	9.03	27.0	8.42	26.0	8.12	25.1	7.82	23.1	7.23	21.2	6.64
	-3.0	-4.0	30.9	9.24	28.9	8.66	27.0	8.07	26.0	7.79	25.1	7.50	23.1	6.93	21.2	6.37
	-1.0	-2.0	30.9	8.86	28.9	8.30	27.0	7.75	26.0	7.47	25.1	7.20	23.1	6.66	21.2	6.12
	0.0	-1.0	30.9	8.68	28.9	8.13	27.0	7.59	26.0	7.32	25.1	7.05	23.1	6.52	21.2	6.00
	2.0	1.0	30.9	8.34	28.9	7.81	27.0	7.29	26.0	7						

Heating capacity at rated condition: 40.0 kW (14HP)																
Total rated capacity of indoor unit	Outdoor temperature		Indoor temperature													
			16°CDB		18°CDB		20°CDB		21°CDB		22°CDB		24°CDB		26°CDB	
	°CDB	°CWB	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP	TC	IP
22.5 (50%)	-19.3	-20.0	23.9	10.24	23.7	10.37	22.5	9.86	21.7	9.50	20.9	9.15	19.3	8.45	17.7	7.76
	-15.0	-16.0	25.7	10.12	24.1	9.48	22.5	8.85	21.7	8.53	20.9	8.22	19.3	7.60	17.7	6.98
	-12.0	-13.0	25.7	9.39	24.1	8.80	22.5	8.22	21.7	7.93	20.9	7.64	19.3	7.07	17.7	6.50
	-9.0	-10.0	25.7	8.76	24.1	8.21	22.5	7.67	21.7	7.40	20.9	7.13	19.3	6.60	17.7	6.07
	-7.0	-8.0	25.7	8.38	24.1	7.86	22.5	7.34	21.7	7.08	20.9	6.83	19.3	6.32	17.7	5.82
	-5.0	-6.0	25.7	8.02	24.1	7.52	22.5	7.03	21.7	6.79	20.9	6.54	19.3	6.06	17.7	5.58
	-3.0	-4.0	25.7	7.69	24.1	7.22	22.5	6.75	21.7	6.51	20.9	6.28	19.3	5.82	17.7	5.36
	-1.0	-2.0	25.7	7.38	24.1	6.93	22.5	6.48	21.7	6.25	20.9	6.03	19.3	5.59	17.7	5.15
	0.0	-1.0	25.7	7.23	24.1	6.79	22.5	6.35	21.7	6.13	20.9	5.91	19.3	5.48	17.7	5.05
	2.0	1.0	25.7	6.95	24.1	6.52	22.5	6.10	21.7	5.89	20.9	5.68	19.3	5.27	17.7	4.86
	5.0	4.0	25.7	6.55	24.1	6.15	22.5	5.75	21.7	5.56	20.9	5.36	19.3	4.98	17.7	4.59
	7.0	6.0	25.7	6.30	24.1	5.92	22.5	5.54	21.7	5.35	20.9	5.16	19.3	4.79	17.7	4.42
	9.0	7.8	25.7	6.08	24.1	5.71	22.5	5.35	21.7	5.17	20.9	4.99	19.3	4.63	17.7	4.28
	12.0	10.6	25.7	5.76	24.1	5.42	22.5	5.07	21.7	4.90	20.9	4.73	19.3	4.40	17.7	4.06
	15.0	13.5	25.7	5.45	24.1	5.12	22.5	4.80	21.7	4.64	20.9	4.48	19.3	4.16	17.7	3.85

MODEL
SELECTIONMODEL
SELECTION